

# Canon


 imagePROGRAF

## imagePROGRAF Full-Line Brochure

Whatever your needs, Canon has the large-format solution.

Canon

 imagePROGRAF



technical documents  
general office use



photography  
fine art  
graphic design

production printing  
signage



## Canon's family of imagePROGRAF large-format printing solutions

### Canon Innovation in Everything We Do

As a worldwide innovation leader for over 70 years, Canon has a legacy of cultivating breakthrough technologies. Our expertise in the areas of science, engineering, and manufacturing has produced world-leading imaging solutions and consistent placement among the top U.S. patent holders of the decade.

This corporate culture of technological innovation drives us to produce an ever-expanding range of large-format printing solutions, each one carefully crafted to address specific customer needs in each market segment we serve. As a result, the imagePROGRAF family has grown into a broad array of solutions that offer our customers more features, functions, and options than ever before.

Today, the line of imagePROGRAF large-format printers is at the forefront of the industry. Specialized customer solutions and applications range from fine art and photography to production printing, and from technical documents to general purpose poster making.

Inside every imagePROGRAF large-format printing system are proprietary Canon technologies configured to meet the unique needs of our customers, with each seamlessly integrated to enhance performance and optimize results.

Some of the leading Canon technologies behind the success and popularity of imagePROGRAF large-format printers include:

- Canon's high-speed, super-efficient L-COA processor
- Large 1.07", ultra-high-density print-heads manufactured with Canon's proprietary FINE (Full-photolithography Ink-jet Nozzle Engineering) technology
- A calibration function for Graphic Arts and production printers
- Durable, vibrant LUCIA® and LUCIA EX pigment inks for 12-color and 8-color printing systems
- A breakthrough Reactive Ink technology that improves image clarity and durability for the 5-color printers
- Easy-to-use software and workflow solutions designed to address unique large-format printing requirements and expand our customers' capabilities

Read on for information about the complete line-up of Canon imagePROGRAF large-format printing systems.



# 12-Color: Graphic Arts Printers

Built for professionals who appreciate the difference between ordinary and extraordinary print quality, these imagePROGRAF large-format printers deliver a unique combination of ultra-high-quality imaging, maximum productivity, and a 12-color LUCIA ink set capable of producing an extraordinary range of vibrant colors, subtle hues, and deep shadows.

## PHOTOGRAPHERS AND STUDIOS

- Portrait-quality prints, especially for multicopy projects where consistency is essential
- Photo enlargements that retain image sharpness, color, and clarity
- Commercial/corporate photography for display

## GICLÉE AND FINE ART REPRODUCTION

- Precise replication of paintings and other fine art originals
- Reproductions that require exceptional color accuracy and image resolution

## MUSEUM-QUALITY DISPLAYS

- Ultra-high-quality output with durable pigment inks means prints will look great for a long time
- Produce lobby art, atrium banners, exhibit graphics, indoor murals, and more

## PROFESSIONAL PRINT MAKERS

- Proofing, including layout proofs, imposition press proofs, and contract proofs
- High-end color prints for presentation comps of packaging and collateral materials
- Specialty applications requiring high-quality image reproduction

## Canon Innovations Inside

### ARCHIVAL LUCIA INKS AND LUCIA EX INKS

Canon's specially formulated LUCIA pigment inks have outstanding archival characteristics. By coating each pigment particle with a special polymer compound, Canon has increased the ink's resistance to fading and scratching. These specially formulated inks also improve image quality by reducing graininess and bronzing—so prints look great from every angle.

### ENGINEERED FOR EXCELLENCE

The high-speed L-COA controller channels output through two one-inch print-heads, each with 2,560 nozzles per color for a total of 30,720 nozzles. Superfine 4pl ink droplets and print resolutions of up to 2400 x 1200 dpi produce the delicate color gradation and the high-definition expression required by fine art applications and professional photographers.

### SYSTEM CALIBRATION—SIMPLIFIED

Unlike the complex and time-consuming calibration normally required in professional settings, Canon offers a simplified process that enables easy recalibration back to the original, optimal factory settings across all the printers' media types.

# 12-Color

GRAPHIC ARTS PRINTERS

## Uncompromised Creative Expression

### imagePROGRAF iPF9100

### imagePROGRAF iPF8300

<b>MSRP*</b>	\$15,995	\$5,995
<b>Output Width</b>	60" Wide	44" Wide
<b>Number of Inks</b>	12	12
<b>Color Set</b>	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Red, Green, Blue, Black, Matte Black, Gray, Photo Gray	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Red, Green, Blue, Black, Matte Black, Gray, Photo Gray
<b>Ink Type</b>	LUCIA Pigment Inks	LUCIA EX Pigment Inks
<b>Ink Tank Size</b>	330ml/700ml	330ml/700ml
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200
<b>Total Number of Nozzles</b>	30,720	30,720
<b>Ink Droplet</b>	Consistent 4pl	Consistent 4pl
<b>Maximum Print Speed (1200 x 1200 dpi on Plain Paper)</b>	343 sq.ft./hr.*	313 sq.ft./hr.*
<b>Print Speed Best Quality Mode (2400 x 1200 dpi on Photo Gloss Paper)</b>	58 sq.ft./hr.*	52 sq.ft./hr.*
<b>Workflow/Software Solutions</b> ✔ = included ○ = optional	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Photoshop®</li> <li>✔ Print Plug-in for Digital Photo Professional</li> <li>✔ Print Plug-in for Microsoft® Office†</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Photoshop</li> <li>✔ Print Plug-in for Digital Photo Professional</li> <li>✔ Print Plug-in for Microsoft Office</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
<b>Special Features</b>	<ul style="list-style-type: none"> <li>• Built-in Printer Calibration</li> <li>• Borderless Printing††</li> <li>• Sub Ink Tank System</li> </ul>	<ul style="list-style-type: none"> <li>• Accounting Manager</li> <li>• Sub Ink Tank System</li> <li>• Gigabit Ethernet Support</li> <li>• Borderless Printing</li> <li>• Built-in Printer Calibration</li> </ul>
<b>Printer Memory</b>	640MB	384MB
<b>Hard Drive</b>	80GB	80GB
<b>Network-Ready</b>	Yes	Yes
<b>Connectivity</b>	<ul style="list-style-type: none"> <li>✔ USB 2.0: 10/100Base-T/TX</li> <li>○ IEEE1394 (Firewire)</li> </ul>	<ul style="list-style-type: none"> <li>✔ USB 2.0: 10/100/1000Base-T/TX</li> </ul>
<b>Operating System</b>	Windows®,† Macintosh®†	Windows,† Macintosh†

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

▲ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A0 (827mm x 1033.8mm); Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

†† Up to 42".

# 12-Color

GRAPHIC ARTS PRINTERS

## Uncompromised Creative Expression

	<b>imagePROGRAF iPF6350/6300</b>	<b>imagePROGRAF iPF6100</b>	<b>imagePROGRAF iPF5100</b>
<b>MSRP*</b>	\$3,995/\$3,695	\$2,895	\$2,095
<b>Output Width</b>	24" Wide	24" Wide	17" Wide
<b>Number of Inks</b>	12	12	12
<b>Color Set</b>	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Red, Green, Blue, Black, Matte Black, Gray, Photo Gray	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Red, Green, Blue, Black, Matte Black, Gray, Photo Gray	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Red, Green, Blue, Black, Matte Black, Gray, Photo Gray
<b>Ink Type</b>	LUCIA EX Pigment Inks	LUCIA Pigment Inks	LUCIA Pigment Inks
<b>Ink Tank Size<sup>■</sup></b>	130ml <sup>■</sup>	130ml <sup>■</sup>	130ml <sup>■</sup>
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200	2400 x 1200
<b>Total Number of Nozzles</b>	30,720	30,720	30,720
<b>Ink Droplet</b>	Consistent 4pl	Consistent 4pl	Consistent 4pl
<b>Maximum Print Speed</b> (1200 x 1200 dpi on Plain Paper)	252 sq.ft./hr. <sup>▲</sup>	258 sq.ft./hr. <sup>▲</sup>	212 sq.ft./hr. <sup>▲</sup>
<b>Print Speed Best Quality Mode</b> (2400 x 1200 dpi on Photo Gloss Paper)	44 sq.ft./hr. <sup>▲</sup>	45 sq.ft./hr. <sup>▲</sup>	39 sq.ft./hr. <sup>▲</sup>
<b>Workflow/Software Solutions</b> ✔ = included ○ = optional	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Photoshop</li> <li>✔ Print Plug-in for Digital Photo Professional</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Photoshop</li> <li>✔ Print Plug-in for Digital Photo Professional</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Photoshop</li> <li>✔ Print Plug-in for Digital Photo Professional</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
<b>Special Features</b>	<ul style="list-style-type: none"> <li>• Accounting Manager</li> <li>• Gigabit Ethernet Support</li> <li>• Borderless Printing</li> <li>• Built-in Printer Calibration</li> </ul>	<ul style="list-style-type: none"> <li>• Built-in Printer Calibration</li> <li>• Ambient Light Adjustment</li> <li>• Borderless Printing</li> </ul>	<ul style="list-style-type: none"> <li>• Built-in Printer Calibration</li> <li>• Ambient Light Adjustment</li> <li>• Borderless Printing</li> </ul>
<b>Printer Memory</b>	384MB	384MB	192MB
<b>Hard Drive</b>	80GB (iPF6350 only)	N/A	N/A
<b>Network-Ready</b>	Yes	Yes	Yes
<b>Connectivity</b>	<ul style="list-style-type: none"> <li>✔ USB 2.0: 10/100/1000Base-T/TX</li> </ul>	<ul style="list-style-type: none"> <li>✔ USB 2.0: 10/100Base-T/TX</li> <li>○ IEEE1394 (Firewire)</li> </ul>	<ul style="list-style-type: none"> <li>✔ USB 2.0: 10/100Base-T/TX</li> <li>○ IEEE1394 (Firewire)</li> </ul>
<b>Operating System</b>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

■ The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.

▲ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A2 (410mm x 512.5mm) for iPF5100, A1 (580mm x 724.9mm) for iPF6350/6300/6100. Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

# 8-Color: Graphic Arts Production Printers

The imagePROGRAF S-Series production printing systems are Canon's fastest Graphic Arts large-format printers. Available in three sizes—the 24" iPF6000S, 44" iPF8000S, and the 60" iPF9000S—these production-grade print engines are up to 40% faster than any other imagePROGRAF Graphic Arts printer, making them ideal for professionals who need to increase the capacity, productivity, and versatility of their large-format printing services.

## COMMERCIAL PRINT SERVICE PROVIDERS

- Produce point-of-sale displays, GIS maps, back-lit displays, and special events graphics.
- Take on bigger jobs. High-speed output—up to 403 sq. ft./hr.\*—means producing more in less time.
- Get a competitive advantage—the Economy Color Mode reduces ink costs.
- These are also ideal for imposition proofing.

## RETAIL QUICK PRINT CENTERS

- No need to make your customers wait—print a large 10 sq. ft. poster in under 3 minutes.\*
- Borderless printing reduces trimming requirements.
- Expand your service options with this versatile system that prints on a wide variety of media.

## IN-PLANT PRODUCTION CENTERS

- Fast throughput from click to print means you can meet tight deadlines.
- Network-ready, an 80GB hard drive, and a Remote User Interface with password-protected Mail Boxes mean your internal customers can submit jobs more easily.

## Canon Innovations Inside

### MAXIMUM PRODUCTIVITY

With high-speed throughput up to 403 sq. ft./hr.\*, an 80GB hard drive, borderless printing, and other features that maximize productivity, these printers increase overall production capacity and reduce job turnaround time.

### QUALITY AND CONTROL

With a built-in calibration function and other advanced quality control features, iPF S-Series printers are designed to deliver consistently superior results, without sacrificing quality.

### LOW-COST OPERATION

The Economy Color Mode, low maintenance costs, and reduced power consumption requirements together help reduce the total cost of operation so print professionals can be more competitive in the marketplace.

### RELIABLE, WORRY-FREE INK SYSTEMS

The large 330ml and 700ml ink tanks available for the iPF9000S and iPF8000S printers supply a sub-tank system so inks can be replenished on-the-fly without stopping printing for longer uninterrupted print runs. The 130ml ink tanks for the iPF6000S\*\* printer can be replaced mid-print without corrupting the image or needing to resend the print file. All models include an ink-level detection system that helps ensure that ink is always available.

\* iPF9000S, 1200 x 1200 dpi on plain paper.

\*\* The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.



# 8-Color

GRAPHIC ARTS  
PRODUCTION PRINTERS

## For Professionals Who Need the *SPEED*

	imagePROGRAF iPF9000S	imagePROGRAF iPF8000S	imagePROGRAF iPF6000S
<b>MSRP*</b>	\$15,995	\$6,295	\$3,295
<b>Output Width</b>	60" Wide	44" Wide	24" Wide
<b>Number of Inks</b>	8	8	8
<b>Color Set</b>	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Black, Matte Black, Gray	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Black, Matte Black, Gray	Cyan, Photo Cyan, Yellow, Magenta, Photo Magenta, Black, Matte Black, Gray
<b>Ink Type</b>	LUCIA Pigment Inks	LUCIA Pigment Inks	LUCIA Pigment Inks
<b>Ink Tank Size</b>	330ml and 700ml	330ml and 700ml	130ml <sup>†</sup>
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200	2400 x 1200
<b>Total Number of Nozzles</b>	30,720	30,720	30,720
<b>Ink Droplet</b>	Consistent 4pl	Consistent 4pl	Consistent 4pl
<b>Maximum Print Speed</b> (1200 x 1200 dpi on Plain Paper)	403 sq.ft./hr. <sup>‡</sup>	350 sq.ft./hr. <sup>‡</sup>	294 sq.ft./hr. <sup>‡</sup>
<b>Print Speed</b> <b>Best Quality Mode</b> (2400 x 1200 dpi on Gloss Paper)	105 sq.ft./hr. <sup>‡</sup>	90 sq. ft./hr. <sup>‡</sup>	69 sq.ft./hr. <sup>‡</sup>
<b>Workflow/Software Solutions</b> ✓ = included ● = optional	<ul style="list-style-type: none"> <li>✓ Canon Printer Driver</li> <li>✓ Print Plug-in for Photoshop</li> <li>✓ Print Plug-in for Digital Photo Professional</li> <li>✓ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✓ Digital Photo Front-Access</li> <li>✓ Remote User Interface</li> <li>✓ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✓ Canon Printer Driver</li> <li>✓ Print Plug-in for Photoshop</li> <li>✓ Print Plug-in for Digital Photo Professional</li> <li>✓ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✓ Digital Photo Front-Access</li> <li>✓ Remote User Interface</li> <li>✓ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✓ Canon Printer Driver</li> <li>✓ Print Plug-in for Photoshop</li> <li>✓ Print Plug-in for Digital Photo Professional</li> <li>✓ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✓ PosterArtist Lite (PC only)</li> <li>✓ Digital Photo Front-Access</li> <li>✓ Remote User Interface</li> <li>✓ Media Configuration Tool</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
<b>Special Features</b>	<ul style="list-style-type: none"> <li>• Economy Color Mode</li> <li>• Sub Ink Tank System</li> <li>• Built-in Printer Calibration</li> <li>• Borderless Printing<sup>††</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Economy Color Mode</li> <li>• Sub Ink Tank System</li> <li>• Built-in Printer Calibration</li> <li>• Borderless Printing<sup>††</sup></li> </ul>	<ul style="list-style-type: none"> <li>• PosterArtist Lite</li> <li>• Economy Color Mode</li> <li>• Built-in Printer Calibration</li> <li>• Borderless Printing</li> </ul>
<b>Printer Memory</b>	640MB	384MB	256MB
<b>Hard Drive</b>	80GB	80GB	80GB
<b>Network-Ready</b>	Yes	Yes	Yes
<b>Connectivity</b>	<ul style="list-style-type: none"> <li>✓ USB 2.0: 10/100Base-T/TX</li> <li>○ IEEE1394 (Firewire)</li> </ul>	<ul style="list-style-type: none"> <li>✓ USB 2.0: 10/100Base-T/TX</li> <li>○ IEEE1394 (Firewire)</li> </ul>	<ul style="list-style-type: none"> <li>✓ USB 2.0: 10/100Base-T/TX</li> </ul>
<b>Operating System</b>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

† The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.

‡ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A0 (827mm x 1033.8mm) for iPF9000S and iPF8000S, A1 (580mm x 724.9mm) for iPF6000S. Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

†† Up to 42".

# 5-Color: Reactive Ink Printers for Technical Documents and General Use Applications

Designed for both technical document printing as well as general purpose output applications, these highly versatile systems go from printing oversized office documents to intricate technical drawings to posters and back...effortlessly.

Canon's 5-color Reactive Ink printing systems are ideal for businesses, schools, architects, engineers, or anyone who wants to print spectacular, full-color presentations, signs, posters, CAD drawings, GIS maps, and other types of large-format output.

## COMPUTER-AIDED DESIGN (CAD)

- Produce intricate drawings with accurate lines as thin as just 0.02mm thick.\*
- Two Matte Black ink channels maximize output speed for text and line drawings.
- Printing support for AutoCAD®, HP-GL/2, and HP RTL Files

## GEOGRAPHIC INFORMATION SYSTEMS (GIS)

- Print detailed maps and graphs with small fonts that are easy to read on colored backgrounds.
- High-resolution 2400 x 1200 dpi output means solid fills, smooth curves, and intricate details.

## BUSINESS

- Assemble spreadsheets, pictures, and graphics onto one page and print them together.
- Make your own enlargements.

## EDUCATION

- Create classroom materials and learning aids.
- Produce posters for special events, banners for pep rallies, and signs for fund-raisers.

## Canon Innovations Inside

### FIVE-COLOR DYE/PIGMENT REACTIVE INK TECHNOLOGY

Canon's Reactive Ink technology utilizes four highly colorfast dye inks—Cyan, Magenta, Yellow, and Black—plus two channels of pigment-based Matte Black. The inks are specially formulated to improve both durability and clarity of the image. The Matte Black ink is chemically engineered to react with the Cyan ink to prevent “bleeding” at the border between color and black output. This produces clearer text and sharper lines—especially when printing fine lines and small text fonts on colored backgrounds. The ink's chemistry also improves adhesion to the media so images are more durable than when printed with conventional inks.

### TWO MATTE BLACK INK CHANNELS

Though these printers utilize five colors of ink, Canon has dedicated a sixth ink channel to Matte Black ink. This increases the rate at which most text and line drawings can be output.

### LOW TOTAL COST OF OPERATION

Canon's imagePROGRAF printers are built for low-cost operation. The Economy Print Mode significantly reduces ink consumption while the long-life print-heads deliver maximum reliability to help keep maintenance costs down.

\* Theoretical data based on data resolution.



# 5-Color

REACTIVE INK PRINTERS

## For Technical Documents and General Printing Applications

	<b>imagePROGRAF iPF825</b>	<b>imagePROGRAF iPF815</b>
<b>MSRP*</b>	\$7,495	\$5,795
<b>Output Width</b>	44" Wide	44" Wide
<b>Number of Inks</b>	5	5
<b>Color Set</b>	<b>Dye:</b> Cyan, Magenta, Yellow, Black <b>Pigment:</b> Matte Black	<b>Dye:</b> Cyan, Magenta, Yellow, Black <b>Pigment:</b> Matte Black
<b>Ink Type</b>	Dye/Pigment Reactive Ink	Dye/Pigment Reactive Ink
<b>Ink Tank Size</b>	330ml and 700ml	330ml and 700ml
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200
<b>Total Number of Nozzles</b>	15,360	15,360
<b>Ink Droplet</b>	Consistent 4pl	Consistent 4pl
<b>Maximum Print Speed</b> (1200 x 1200 dpi on Plain Paper)	688 sq.ft./hr.†	688 sq.ft./hr.†
<b>Print Speed Best Quality Mode</b> (2400 x 1200 dpi on Photo Gloss Paper)	89 sq.ft./hr.†	89 sq.ft./hr.†
<b>Workflow/Software Solutions</b> ✔ = included ○ = optional	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Print Plug-in for Microsoft Office†</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL Files</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ HDI Driver</li> <li>✔ Canon Printer Driver</li> <li>✔ Print Plug-in for Microsoft Office†</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL Files</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
<b>Special Features</b>	<ul style="list-style-type: none"> <li>• Dual Media Rolls</li> <li>• Accounting Manager</li> <li>• Economy Color Mode</li> <li>• Sub Ink Tank System</li> <li>• Independent Rotary Cutter</li> </ul>	<ul style="list-style-type: none"> <li>• Accounting Manager</li> <li>• Economy Color Mode</li> <li>• Sub Ink Tank System</li> <li>• Independent Rotary Cutter</li> </ul>
<b>Printer Memory</b>	384MB	384MB
<b>Hard Drive</b>	160GB	160GB
<b>Network-Ready</b>	Yes	Yes
<b>Connectivity</b>	✔ USB 2.0: 10/100Base-T/TX	✔ USB 2.0: 10/100Base-T/TX
<b>Operating System</b>	Windows,† Macintosh†	Windows,† Macintosh†

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

† OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A0 (827mm x 1033.8mm). Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

# 5-Color

REACTIVE INK PRINTERS

## For Technical Documents and General Printing Applications

	<b>imagePROGRAF iPF755/750</b>	<b>imagePROGRAF iPF710</b>
<b>MSRP*</b>	\$4,995/\$4,495	\$3,495
<b>Output Width</b>	36" Wide	36" Wide
<b>Number of Inks</b>	6	6
<b>Color Set</b>	Dye: Cyan, Magenta, Yellow, Black, Pigment: Matte Black, Matte Black	Dye: Cyan, Magenta, Yellow, Black, Pigment: Matte Black, Matte Black
<b>Ink Type</b>	Dye/Pigment Reactive Ink	Dye/Pigment Reactive Ink
<b>Ink Tank Size</b>	130ml <sup>†</sup>	130ml <sup>†</sup>
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200
<b>Total Number of Nozzles</b>	15,360	15,360
<b>Ink Droplet</b>	Consistent 4pl	Consistent 4pl
<b>Maximum Print Speed (1200 x 1200 dpi on Plain Paper)</b>	733 sq.ft./hr.* <sup>♦♦</sup>	659 sq.ft./hr.* <sup>♦♦</sup>
<b>Print Speed Best Quality Mode (2400 x 1200 dpi on Gloss Paper)</b>	79 sq.ft./hr.* <sup>†</sup>	79 sq.ft./hr.* <sup>†</sup>
<b>Workflow/Software Solutions</b> ✔ = included ○ = optional	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL Files</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Digital Photo Front-Access</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL Files</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
<b>Special Features</b>	<ul style="list-style-type: none"> <li>• Accounting Manager</li> <li>• Sub Ink Tank System</li> <li>• Top-loading Roll Feed</li> <li>• Gigabit Ethernet Support</li> <li>• Intuitive Operation Panel</li> </ul>	<ul style="list-style-type: none"> <li>• Minimum Line Weight 0.02mm</li> <li>• Line Accuracy +/- 0.1% or less</li> <li>• Two Matte Black Ink Channels</li> <li>• Economy Print Mode</li> <li>• Borderless Printing</li> </ul>
<b>Printer Memory</b>	256MB	256MB
<b>Hard Drive</b>	80GB (iPF755 only)	N/A
<b>Network-Ready</b>	Yes	Yes
<b>Connectivity</b>	✔ USB 2.0: 10/100/1000Base-T/TX	✔ USB 2.0: 10/100Base-T/TX ○ IEEE 1394 (Firewire)
<b>Operating System</b>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

† The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.

♦ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A0 (827mm x 1033.8mm). Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

♦ When printing in fast mode on plain paper.

# 5-Color

REACTIVE INK PRINTERS

## For Technical Documents and General Printing Applications

	imagePROGRAF iPF655/650	imagePROGRAF iPF610/605	imagePROGRAF iPF510
MSRP*	\$3,195/\$2,495	\$2,545/\$1,295	\$1,595
Output Width	24" Wide	24" Wide	17" Wide
Number of Ink Tanks	6	6	6
Color Set	Dye: Cyan, Magenta, Yellow, Black Pigment: Matte Black, Matte Black	Dye: Cyan, Magenta, Yellow, Black Pigment: Matte Black, Matte Black	Dye: Cyan, Magenta, Yellow, Black Pigment: Matte Black, Matte Black
Ink Type	Dye/Pigment Reactive Ink	Dye/Pigment Reactive Ink	Dye/Pigment Reactive Ink
Ink Tank Size**	130ml <sup>■</sup>	130ml <sup>■</sup>	130ml <sup>■</sup>
Maximum Print Resolution (dpi)	2400 x 1200	2400 x 1200	2400 x 1200
Total Number of Nozzles	15,360	15,360	15,360
Ink Droplet	Consistent 4pl	Consistent 4pl	Consistent 4pl
Maximum Print Speed (1200 x 1200 dpi on Plain Paper)	653 sq.ft./hr.♦♦	609 sq.ft./hr. ♦♦	415 sq.ft./hr.♦♦
Print Speed Best Quality Mode (1200 x 1200 dpi on Gloss Paper)	73 sq.ft./hr.▲	72 sq.ft./hr.▲	60 sq.ft./hr.▲
Workflow/Software Solutions ✔ = included ○ = optional	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>	<ul style="list-style-type: none"> <li>✔ Canon Printer Driver</li> <li>✔ HDI Driver</li> <li>✔ Print Plug-in for Microsoft Office<sup>†</sup></li> <li>✔ Digital Photo Front-Access</li> <li>✔ Remote User Interface</li> <li>✔ Media Configuration Tool</li> <li>✔ Supports HP-GL/2, HP RTL</li> <li>✔ PosterArtist Lite</li> <li>○ PosterArtist (PC only)</li> <li>○ Third-Party RIPs</li> </ul>
Special Features	<ul style="list-style-type: none"> <li>• Accounting Manager</li> <li>• Sub Ink Tank System</li> <li>• Top-loading Roll Feed</li> <li>• Gigabit Ethernet Support</li> <li>• Intuitive Operation Panel</li> </ul>	<ul style="list-style-type: none"> <li>• Free-Layout Function</li> <li>• Borderless Printing</li> <li>• Desktop Model – no stand (iPF605)</li> <li>• Stand and Cassette Tray (iPF610 only)</li> </ul>	<ul style="list-style-type: none"> <li>• Desktop Printer</li> <li>• Free-Layout Function</li> <li>• Borderless Printing</li> <li>• Minimum Line Weight 0.02mm</li> <li>• Line Accuracy +/-0.1%</li> </ul>
Printer Memory	256MB	256MB	128MB
Hard Drive	80GB (iPF655 only)	N/A	N/A
Network-Ready	Yes	Yes	Yes
Connectivity	✔ USB 2.0: 10/100/1000Base-T/TX	✔ USB 2.0: 10/100Base-T/TX ○ IEEE1394 (Firewire)	✔ USB 2.0: 10/100Base-T/TX ○ IEEE1394 (Firewire)
Operating System	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>	Windows, <sup>†</sup> Macintosh <sup>†</sup>

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

■ The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.

▲ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A1 (580mm x 724.9mm) for iPF655/650/610, A2 (410mm x 512.5mm) for iPF510 using optional Roll Feed. Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

† Please visit [www.usa.canon.com/download](http://www.usa.canon.com/download) for availability.

♦ When printing in fast mode on plain paper.

## For Technical Documents MFP Large-Format Imaging

	<b>iPF825 MFP/iPF815 MFP</b>	<b>iPF755 MFP/iPF750 MFP</b>	<b>iPF710 MFP</b>
<b>MSRP*</b>	\$11,495/\$9,795	\$8,995/\$8,495	\$7,495
<b>Ci C40 Scanner</b>			
<b>Maximum Optical/Interpolated Resolution (dpi)</b>	600/9600 [Variable (100 - 9600, in one-dpi steps)]	600/9600 [Variable (100 - 9600, in one-dpi steps)]	600/9600 [Variable (100 - 9600, in one-dpi steps)]
<b>Maximum Image/Media Width</b>	40" (101.6cm)/41" (104.1cm)	40" (101.6cm)/41" (104.1cm)	40" (101.6cm)/41" (104.1cm)
<b>Scan Speed</b>	<ul style="list-style-type: none"> <li>• 24-bit Full Color @ 200 dpi: 1.67" (per second)</li> <li>• 8-bit Grayscale and Monochrome @ 200 dpi: 10" (per second)</li> </ul>	<ul style="list-style-type: none"> <li>• 24-bit Full Color @ 200 dpi: 1.67" (per second)</li> <li>• 8-bit Grayscale and Monochrome @ 200 dpi: 10" (per second)</li> </ul>	<ul style="list-style-type: none"> <li>• 24-bit Full Color @ 200 dpi: 1.67" (per second)</li> <li>• 8-bit Grayscale and Monochrome @ 200 dpi: 10" (per second)</li> </ul>
<b>Scan Modes</b>	<ul style="list-style-type: none"> <li>• 16.7-million Color RGB (24 bit)</li> <li>• 256- and 16-color RGB Adaptive Indexed Color Palette</li> <li>• 256-level Grayscale (8 bit)</li> <li>• Black and White (1 bit)</li> </ul>	<ul style="list-style-type: none"> <li>• 16.7-million Color RGB (24 bit)</li> <li>• 256- and 16-color RGB Adaptive Indexed Color Palette</li> <li>• 256-level Grayscale (8 bit)</li> <li>• Black and White (1 bit)</li> </ul>	<ul style="list-style-type: none"> <li>• 16.7-million Color RGB (24 bit)</li> <li>• 256- and 16-color RGB Adaptive Indexed Color Palette</li> <li>• 256-level Grayscale (8 bit)</li> <li>• Black and White (1 bit)</li> </ul>
<b>Maximum Media Thickness</b>	0.012" (0.3mm)	0.012" (0.3mm)	0.012" (0.3mm)
<b>Accuracy</b>	+/-0.1% +/-1 Pixel	+/-0.1% +/-1 Pixel	+/-0.1% +/-1 Pixel
<b>SmartWorks MFP</b>			
<b>Application</b>	Scan-to-file, -copy-, e-mail with Real-time Image Viewer	Scan-to-file, -copy-, e-mail with Real-time Image Viewer	Scan-to-file, -copy-, e-mail with Real-time Image Viewer
<b>File Support</b>	TIFF, JPEG, PNG, and PDF	TIFF, JPEG, PNG, and PDF	TIFF, JPEG, PNG, and PDF
<b>PC Specifications</b>			
<b>Manufacturer/Model</b>	DELL Inspiron 560s	DELL Inspiron 560s	DELL Inspiron 560s
<b>Processor/Memory</b>	Intel Celeron 450 (2.2GHz) 2GB DDR3 SDRAMM	Intel Celeron 450 (2.2GHz) 2GB DDR3 SDRAMM	Intel Celeron 450 (2.2GHz) 2GB DDR3 SDRAMM
<b>Operating System</b>	Windows 7 (64 bit)	Windows 7 (64 bit)	Windows 7 (64 bit)
<b>Hard Drive</b>	320GB Serial ATA (7200 RPM with 16MB DataBust Cache)	320GB Serial ATA (7200 RPM with 16MB DataBust Cache)	320GB Serial ATA (7200 RPM with 16MB DataBust Cache)
<b>Monitor</b>	21.5" Touch-Screen HD Monitor	21.5" Touch-Screen HD Monitor	21.5" Touch-Screen HD Monitor
<b>Printer Specifications</b>			
<b>Maximum Media Width</b>	44"	36"	36"
<b>Applications</b>	<ul style="list-style-type: none"> <li>• Medium to Large Volume CAD and Corporate</li> <li>• Medium to Large Work Groups</li> </ul>	<ul style="list-style-type: none"> <li>• Small to Medium Office</li> <li>• Technical Documents</li> </ul>	<ul style="list-style-type: none"> <li>• Small Office</li> <li>• Technical Documents</li> <li>• Corporate Internal Graphics</li> </ul>
<b>Maximum Print Resolution (dpi)</b>	2400 x 1200	2400 x 1200	2400 x 1200
<b>Maximum Print Speed (1200 x 1200 dpi on Plain Paper)</b>	688 sq.ft./hr.*^	733 sq.ft./hr.*^	659 sq.ft./hr.*^

\* As of December 1, 2010. Actual prices are set by dealers and may vary.

^ OS: Windows XP SP2, CPU: Pentium 4 3.2GHz, RAM: 1GB, Application: Adobe Photoshop 7.0, Interface: USB 2.0 Hi-Speed, Data used: ISO/JIS-SCID No.5, Output image size: A0 (827mm x 1033.8mm). Measured by Canon Inc. Each print time does not include data transfer time. The print speed may vary depending on the data volume and size, PC, application, software, media type, and interface.

• When printing in fast mode on plain paper.

# PosterArtist: Canon's Easy-to-Use Poster Creation Software

PosterArtist is an optional PC software package that makes it easy to create, customize, and print posters, banners, and signs. No graphic design experience is needed!

Just follow the four on-screen steps to select from over 200 customizable templates, professionally designed for retail, food and beverage, education, business, sports, celebrations, and other categories. PosterArtist also includes over 1,500 print-ready, royalty-free images, and clip-art that you can use. Or, if you prefer, you can import your own images such as company logos and digital camera photos!

For those with more demanding poster creation needs, PosterArtist also includes enhanced features such as an Auto Design function, support for Variable Data Printing, and even an Ambient Light Adjustment feature that assists in compensating for perceived color changes in various lighting environments!



Created in PosterArtist



Created in PosterArtist

Some imagePROGRAF printers come equipped with PosterArtist Lite to help beginners get started designing and printing their own posters. PosterArtist Lite is only available with specific imagePROGRAF printer bundles; it's not sold separately.

**Download a trial version today.**  
**For more information, please go to**  
[www.usa.canon.com/posterartist](http://www.usa.canon.com/posterartist).

# PosterArtist

# Alliance Partners












Canon's Alliance Program for large-format imagePROGRAF products was created to identify, develop, and market software solutions that not only add value to Canon's products, but also address customer and industry-specific needs in the marketplace. A Canon Alliance Partner is a company that has applied to be in the program and was approved by Canon. The Alliance Program provides a process in which the partner can conduct compatibility testing with the products in our imagePROGRAF line, ensuring that the product is compatible and the company's software solution enhances the value of the imagePROGRAF printer. Although we are highlighting the members of the Alliance Partner Program, there are a number of other vendors with customized solutions for the imagePROGRAF line. Please check the company's Web site for more detailed compatibility information.

With a full line of Canon large-format printers designed to be incorporated into a variety of market segments, customers are assured

the best software to suit their needs. These software solutions can be integrated into a range of market segments, such as the Proofing/Prepress, Photographic, CAD/GIS, Poster/Signage, and Scan/Copy to address customer-specific needs. Cost-tracking solutions are also available for those who would like to monitor specific expenses associated with making production pieces by providing detailed reports of the information. These software RIPs will add functionality to the imagePROGRAF devices that are not available in the native print driver. For example, they will accept a broader range of file formats and add features such as tiling, queue management, the ability to create ICC profiles, and ink tracking capabilities. With this added functionality, the imagePROGRAF printer becomes a complete workflow solution.

Canon's imagePROGRAF printers are commonly used for specific targeted applications in the following markets. The partners selected to work with Canon are leaders in some or all of the markets shown in the chart below:

## imagePROGRAF Alliance Partner Program Members

	AEC/CAD/GIS	Photography	Proofing/Prepress	Signage	Scan/Copy	Cost Tracking
		•	•	•		
		•	•	•		
		•	•	•		
		•	•	•		
	•	•	•	•		
	•				•	•
	•				•	•
	•	•	•	•		
	•	•		•	•	
						•
	•	•	•	•		

For the most current listing of imagePROGRAF Alliance Partners, please visit [www.usa.canon.com/imageprograf](http://www.usa.canon.com/imageprograf)



# Only with Canon Media

Canon media delivers consistently superior image quality and product performance. Rigorous testing ensures compatibility with imagePROGRAF printers in order to provide the best image quality possible.

Canon media can meet your needs. Drafting designs, producing point-of-purchase displays, and creating photographic and fine art reproductions can all be accomplished utilizing Canon imagePROGRAF printers and media.

## The Right Media for the Right Job

### PHOTOGRAPHIC/GLOSSY PAPER

High-end photography and portraits demand excellent photographic paper, and Canon offers a wide variety to meet these printing needs. Accurate, clear reproduction of digital images is a breeze with Canon photographic and glossy media options.

### FINE ART MEDIA

Special artwork deserves special media. Paintings and digital art superbly reproduce on Canon Fine Art Media. Available in canvas, velvet, photo rag, and water-resistant styles, Canon Media meets the challenge of fine art printing.

### PROOFING PAPERS

Accuracy and clarity are available at each stage of the design process with Canon proofing papers. Printers, marketers, and advertisers can create high-quality proofs that help correct errors and enhance artwork before printing.

### SIGN/BANNER/DISPLAY MEDIA

Eye-catching signs, bulletins, and announcements are easy to create with Canon large-format printers. To suit every application, our sign and banner media are tear-resistant and offer a variety of special features, such as adhesive backing and vinyl coating.

### BOND PAPER/CAD/GIS

Blueprints, maps, schedules, and sketches are ideally rendered with Canon large-format printers. These media are ideal for engineers and architects as well as CAD and GIS applications. For everyday use and draft printing, Canon has a wide variety of durable, inexpensive coated paper.

**For more information on Canon Media, please visit the Canon Consumables Web site at: [www.usa.canon.com/consumables/media](http://www.usa.canon.com/consumables/media).**



**Want to learn more? Got a big idea for using  
Canon imagePROGRAF Large-Format Printers?**

Go to [www.usa.canon.com/imageprograf](http://www.usa.canon.com/imageprograf)  
and [www.usa.canon.com/posterartist](http://www.usa.canon.com/posterartist).

**Canon**  
*image*ANYWARE

1-800-OK-CANON  
[www.usa.canon.com](http://www.usa.canon.com)

Canon U.S.A., Inc.  
One Canon Plaza  
Lake Success, NY 11042

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. CANON and IMAGEPROGRAF are registered trademarks and LUCIA is a trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEANYWARE is a trademark of Canon. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.

For a full listing of specifications, see product brochures. Some items may not be available at this time; please check for availability. Specifications and availability subject to change without notice. All printer output images are simulated.

©2010 Canon U.S.A., Inc. All rights reserved.

1210R-iPFLL-PDF-CR

